ELSEVIER

Molecular Brain Research 107 (2002) 214–215

MOLECULAR BRAIN RESEARCH

www.elsevier.com/locate/molbrainres

Author index

Agarwal, N., see Shamsul Ola, M. (107) 97
Amossé, V., see Leclerc, S. (107) 201
Artur, Y., see Leclerc, S. (107) 201

Bai, G., see Okamoto, S.-i. (107) 89
Bartoe, J.L. and Nathanson, N.M.
Independent roles of SOCS-3 and SHP-2 in the regulation of neuronal gene expression by leukemia inhibitory factor (107) 108
Bellingham, J., Whitmore, D., Philp, A.R., Wells, D.J. and Foster, R.G.
Zebrafish melanopsin: isolation, tissue localisation and phylogenetic position (107) 128
Brentani, R., see Coitinho, A.S. (107) 190
Brown, F.D., see Foletta, V.C. (107) 65
Browning, M.D., see Veng, L.M. (107) 120

Cardona-Gomez, G.P., Mendez, P. and Garcia-Segura, L.M.
Synergistic interaction of estradiol and insulin-like growth factor-I in the activation of PI3K/Akt signaling in the adult rat hypothalamus (107) 80
Cattarelli, M., see Leclerc, S. (107) 201
Cha, S., see Park, S.Y. (107) 9
Che, Y., see Piao, C.S. (107) 137
Cho, G.J., see Park, S.Y. (107) 9
Choi, W.S., see Park, S.Y. (107) 9
Coitinho, A.S., Dietrich, M.O., Hoffmann, A., Dall'Igna, O.P., Souza, D.O., Martins, V.R., Brentani, R., Izquierdo, I. and Lara, D.R.
Decreased hyperlocomotion induced by MK-801, but not amphetamine and caffeine in mice lacking cellular prion protein (PrP^C) (107) 190
Constantinescu, G., see Jacoby, A.S. (107) 195

Dall'Igna, O.P., see Coitinho, A.S. (107) 190
Devaskar, S.U., see Sankar, R. (107) 157
Dietrich, M.O., see Coitinho, A.S. (107) 190
Dolatshad, N.F., Silva, A.T. and Jill Saffrey, M.
Identification of GFR α-2 isoforms in myenteric plexus of postnatal and adult rat intestine (107) 32

El-Sherbeny, A., see Shamsul Ola, M. (107) 97

Foletta, V.C., Brown, F.D. and Young III, S.W.
Cloning of rat ARHGAP4/C1, a RhoGAP family member expressed in the nervous system that colocalizes with the Golgi complex and microtubules (107) 65
Foster, R.G., see Bellingham, J. (107) 128
Fukui, Y., see Hisano, S. (107) 23

Ganapathy, V., see Shamsul Ola, M. (107) 97
Garcia-Segura, L.M., see Cardona-Gomez, G.P. (107) 80
Goudonnet, H., see Leclerc, S. (107) 201
Gradinaru, D., see Leclerc, S. (107) 201

Han, P.-L., see Piao, C.S. (107) 137
Heydel, J.-M., see Leclerc, S. (107) 201
Hisano, S., Sawada, K., Kawano, M., Kanemoto, M., Xiong, G., Mogi, K., Sakata-Haga, H., Takeda, J., Fukui, Y. and Nogami, H.
Expression of inorganic phosphate/vesicular glutamate transporters (BNPI/VGLUT1 and DNPI/VGLUT2) in the cerebellum and precerebellar nuclei of the rat (107) 23
Hoffmann, A., see Coitinho, A.S. (107) 190
Hort, Y.J., see Jacoby, A.S. (107) 195
Huang, W., see Shamsul Ola, M. (107) 97
Hur, J., see Park, S.Y. (107) 9

Iismaa, T.P., see Jacoby, A.S. (107) 195
Ishida, Y., Ugawa, S., Ueda, T., Murakami, S. and Shimada, S.
Vanilloid receptor subtype-1 (VR1) is specifically localized to taste papillae (107) 17
Izquierdo, I., see Coitinho, A.S. (107) 190

Jacobowitz, D.M., see Kirmani, B.F. (107) 176
Jacoby, A.S., Hort, Y.J., Constantinescu, G., Shine, J. and Iismaa, T.P.
Critical role for GALR1 galanin receptor in galanin regulation of neuroendocrine function and seizure activity (107) 195
Jill Saffrey, M., see Dolatshad, N.F. (107) 32

Kallarakal, A.T., see Kirmani, B.F. (107) 176
Kanemoto, M., see Hisano, S. (107) 23
Kang, S.S., see Park, S.Y. (107) 9
Katayama, T., see Minami, M. (107) 39
Kawano, M., see Hisano, S. (107) 23
Kim, D., see Novak, G. (107) 183
Kim, H., see Park, S.Y. (107) 9
Kim, I.-S., see Yun, S.-J. (107) 57
Kim, M.-O., see Yun, S.-J. (107) 57
Kim, S.O., see Yun, S.-J. (107) 57
Kim, S.Y., see Park, S.Y. (107) 9
Kirmani, B.F., Jacobowitz, D.M., Kallarakal, A.T. and Namboodiri, M.A.A.
Aspartoacylase is restricted primarily to myelin synthesizing cells in the CNS: therapeutic implications for Canavan disease (107) 176
Kuwako, K.-i., Nishimura, I., Uetsuki, T., Saido, T.C. and Yoshikawa, K.
Activation of calpain in cultured neurons overexpressing Alzheimer amyloid precursor protein (107) 166
Kwon, Y.K., see Yun, S.-J. (107) 57

Lara, D.R., see Coitinho, A.S. (107) 190
Leclerc, S., Heydel, J.-M., Amossé, V., Gradinaru, D., Cattarelli, M., Artur, Y., Goudonnet, H., Magdalou, J., Netter, P., Pelczar, H. and Minn, A.
Glucuronidation of odorant molecules in the rat olfactory system. Activity, expression and age-linked modifications of UDP-glucuronosyltransferase isoforms, UGT1A6 and UGT2A1, and relation to mitral cell activity (107) 201
Lee, E.H., see Yun, S.-J. (107) 57
Lee, H., see Park, S.Y. (107) 9
Lee, J.-K., see Piao, C.S. (107) 137
Lipton, S.A., see Okamoto, S.-i. (107) 89

Maddox, D., see Shamsul Ola, M. (107) 97
Maekawa, K., see Minami, M. (107) 39
Magdalou, J., see Leclerc, S. (107) 201
Martins, V.R., see Coitinho, A.S. (107) 190
Mendez, P., see Cardona-Gomez, G.P. (107) 80
Minami, M., Maekawa, K., Yamakuni, H., Katayama, T., Nakamura, J. and Satoh, M.
Kainic acid induces leukemia inhibitory factor mRNA expression in the rat brain: differences in the time course of mRNA expression between

0169-328X/02/$ – see front matter © 2002 Elsevier Science B.V. All rights reserved.
PII: S0169-328X(02)00571-5

the dentate gyrus and hippocampal CA1/CA3 subfields (107) 39
Minn, A., see Leclerc, S. (107) 201
Mogi, K., see Hisano, S. (107) 23
Moley, K.H., see Sankar, R. (107) 157
Moore, P., see Shamsul Ola, M. (107) 97
Murakami, S., see Ishida, Y. (107) 17

Nakamura, J., see Minami, M. (107) 39
Namboodiri, M.A.A., see Kirmani, B.F. (107) 176
Nathanson, N.M., see Bartoe, J.L. (107) 108
Netter, P., see Leclerc, S. (107) 201
Nicoll, D.A., see Thurneysen, T. (107) 145
Nishimura, I., see Kuwako, K.-i. (107) 166
Nogami, H., see Hisano, S. (107) 23
Novak, G., Kim, D., Seeman, P. and Tallerico, T.
Schizophrenia and Nogo: elevated mRNA in cortex, and high prevalence of a homozygous CAA insert (107) 183

Okamoto, S.-i., Sherman, K., Bai, G. and Lipton, S.A.
Effect of the ubiquitous transcription factors, SP1 and MAZ, on NMDA receptor subunit type 1 (NR1) expression during neuronal differentiation (107) 89

Park, J., see Yun, S.-J. (107) 57
Park, J.-H., see Park, S.Y. (107) 9
Park, S.Y., Lee, H., Hur, J., Kim, S.Y., Kim, H., Park, J.-H., Cha, S., Kang, S.S., Cho, G.J., Choi, W.S. and Suk, K.
Hypoxia induces nitric oxide production in mouse microglia via p38 mitogen-activated protein kinase pathway (107) 9
Pelczar, H., see Leclerc, S. (107) 201
Philipson, K.D., see Thurneysen, T. (107) 145
Philp, A.R., see Bellingham, J. (107) 128
Piao, C.S., Che, Y., Han, P.-L. and Lee, J.-K.
Delayed and differential induction of p38 MAPK isoforms in microglia and astrocytes in the brain after transient global ischemia (107) 137
Porzig, H., see Thurneysen, T. (107) 145

Roon, P., see Shamsul Ola, M. (107) 97

Saido, T.C., see Kuwako, K.-i. (107) 166
Sakata-Haga, H., see Hisano, S. (107) 23
Sankar, R., Thamotharan, S., Shin, D., Moley, K.H. and Devaskar, S.U.
Insulin-responsive glucose transporters—GLUT8 and GLUT4 are expressed in the developing mammalian brain (107) 157
Satoh, M., see Minami, M. (107) 39
Sawada, K., see Hisano, S. (107) 23
Schweitzer, B., Suter, U. and Taylor, V.
Neural membrane protein 35/ Lifeguard is localized at postsynaptic sites and in dendrites (107) 47
Seeman, P., see Novak, G. (107) 183
Shamsul Ola, M., Moore, P., Maddox, D., El-Sherbeny, A., Huang, W., Roon, P., Agarwal, N., Ganapathy, V. and Smith, S.B.
Analysis of sigma receptor (σR1) expression in retinal ganglion cells cultured under hyperglycemic conditions and in diabetic mice (107) 97
Sherman, K., see Okamoto, S.-i. (107) 89
Shimada, S., see Ishida, Y. (107) 17
Shin, D., see Sankar, R. (107) 157
Shine, J., see Jacoby, A.S. (107) 195
Silva, A.T., see Dolatshad, N.F. (107) 32
Smith, S.B., see Shamsul Ola, M. (107) 97
Souza, D.O., see Coitinho, A.S. (107) 190
Suk, K., see Park, S.Y. (107) 9
Suter, U., see Schweitzer, B. (107) 47

Takeda, J., see Hisano, S. (107) 23
Tallerico, T., see Novak, G. (107) 183
Tang, X.C., see Wang, R. (107) 1
Taylor, V., see Schweitzer, B. (107) 47
Thamotharan, S., see Sankar, R. (107) 157
Thurneysen, T., Nicoll, D.A., Philipson, K.D. and Porzig, H.
Sodium/calcium exchanger subtypes NCX1, NCX2 and NCX3 show cell-specific expression in rat hippocampus cultures (107) 145

Ueda, T., see Ishida, Y. (107) 17
Uetsuki, T., see Kuwako, K.-i. (107) 166
Ugawa, S., see Ishida, Y. (107) 17

Veng, L.M. and Browning, M.D.
Regionally selective alterations in expression of the α_{1D} subunit ($Ca_v1.3$) of L-type calcium channels in the hippocampus of aged rats (107) 120

Wang, R., Zhou, J. and Tang, X.C.
Tacrine attenuates hydrogen peroxide-induced apoptosis by regulating expression of apoptosis-related genes in rat PC12 cells (107) 1
Wells, D.J., see Bellingham, J. (107) 128
Whitmore, D., see Bellingham, J. (107) 128

Xiong, G., see Hisano, S. (107) 23

Yamakuni, H., see Minami, M. (107) 39
Young III, S.W., see Foletta, V.C. (107) 65
Yoshikawa, K., see Kuwako, K.-i. (107) 166
Yun, S.-J., Kim, M.-O., Kim, S.O., Park, J., Kwon, Y.K., Kim, I.-S. and Lee, E.H.
Induction of TGF-β-inducible gene-h3 (βig-h3) by TGF-β1 in astrocytes: implications for astrocyte response to brain injury (107) 57

Zhou, J., see Wang, R. (107) 1